Page

Biogeochemical prospecting for molybdenum in New Zealand (by Brooks and Lyon) 706
Blatticola taupakae and *Protellina gurri* n. spp., Nematode parasites of the black roach, by Dale) 538
Blue Moon butterfly *Hypolimnas bolina nerina* (F.) in New Zealand, The Australian 719
Box-mites (Acari : Oribatei : Phthiracaroidea) from The Brothers, Cook Strait, New Zealand, Three New 901
Brewerton, H. V.; Hopkins, C. L.; McGrath, H. J. W. (see Hopkins, C. L.) 236
Brewerton, H. V.; McGrath, H. J. W.; Perrott, D. C. F. (see Perrott, D. C. F.) 145
Brooks, R. R.; Lyon, G. L.: Biogeochemical prospecting for molybdenum in New Zealand 706
Brown, J. G.: Oviposition and egg incubation in three species of small green chafer (*Pyronota* Bois) 261
Brown, J. J.: Observations on the morphology and reproduction of *Aspidisca cicada* Müller 65
Brucellosis, Leptospirosis, and Salmonellosis in red deer in New Zealand, A preliminary survey of 399
Buoyancy effects in tins of hot wool (by Harrison, Tilbury, and Walker) 57

Campbell, I. B.; Claridge, G. G. C.: A sequence of soils from a penguin rookery, Inexpressible Island, Antarctica 361
Campbell, I. B.; Claridge, G. G. C.: Evidence of former sea levels near Cape Hallett, Antarctica 776
Campbell, I. B.; Claridge, G. G. C. (see Claridge, G. G. C.) 889
Cassie, Vivienne: Diatoms, dinoflagellates and hydrology in the Hauraki Gulf, 1964–1965 569
Cell division in plant tissues, Regulators of. IV. The mass spectra of cytokinins and other 6-aminopurines 833
Centrodora (Hymenoptera : Aphelinidae) parasitic upon eggs of *Scolypopa australis* Walker (Hemiptera : Ricaniidae), A new species of 331
Cephalobellus costelytrae, A nematode parasitic in the grass grub *Costelytra* zealandica, The dispersal of 534
Cephalobellus fluxi n. sp., A thelastomatid nematode from a tipulid larva (by Dale) 129
Chemistry of the hydrothermal waters of the volcanic eruption on Raoul Island, November 1964 (by Weissberg and Sarbutt) 426
Claridge, G. G. C.; Campbell, I. B. (see Campbell, I. B.) 361
Claridge, G. G. C.; Campbell, I. B. (see Campbell, I. B.) 776
Claridge, G. G. C.; Campbell, I. B.: The raised beaches at Inexpressible Island, Antarctica 889
Clark, Ailsa M.: Some crinoids from New Zealand waters 684
Clinch, P. G.: An improved intracerebral injection method for detecting tutin and hyenanchin in toxic honey 433
Correlation of engineering and pedological soil classification in New Zealand (by Northey) 809
Costelytra Given (Melolonthinae : Coleoptera) including descriptions of four new species, The 373
Costelytra zelandica (White), Resistance to DDT in the Scarabaeid 145
Corrigendum 554
Cassonine genus with bark-beetle habits, with remarks on relationships and biogeography (Coleoptera Curculionidae), A 3
Crayfish, *Paranephrops planifrons* White, Growth in the Freshwater 50
Crinoids from New Zealand waters, Some 684
Cristobalite-containing ceramics, X-ray diffraction and thermal expansion properties of 249
Cultural and biochemical reactions of some additional *Xanthomonas* spp. (by Dye) 843
Cumber, R. A.: Factors influencing population levels of *Scolypopa australis* Walker (Hemiptera-Homoptera : Ricaniidae) in New Zealand 336

	Page
Dale, P. S.: A key to nematodes of the genus *Tetleyus* (Thelastomatidae), and a description of *Tetleyus lissotetos* n. sp.	161
Dale, P. S.: *Blatticola taupakae* and *Protellina gurri* n. spp., Nematode parasites of the black roach	538
Dale, P. S.: *Cephalobellus fluxi* n. sp., A thelastomatid nematode from a tipulid larva	129
Dale, P. S.: The dispersal of *Cephalobellus costelytrae,* A nematode parasitic in the grass grub *Costelytra zealandica*	534
Daniel, M. J.: A preliminary survey of the incidence of Brucellosis, Leptospirosis, and Salmonellosis in red deer in New Zealand	399
DDT prills to pasture lands, The effect on a stream fauna of an aerial application of	236
de Lisle, J. F.: Mean daily insolation in New Zealand	992
Dependence of water absorption of wheat flour on protein content and degree of starch granule damage (by Meredith)	324
Detection and isolation of tutin and hyenanchin in toxic honey (by Hodges and White)	233
Determination of lipo-peroxides in meat meals and poultry feeds (by Keeley, Peddie, and Hartman)	806
Diatoms, dinoflagellates and hydrology in the Hauraki Gulf, 1964–1965 (by Cassie)	569
Diffusion of regain in bulk wool	
Part 2. Analysis of regain in scoured wool by diffusion (by Palmer)	166
Part 3. Regain changes in cylinders open at one end (by Walker, Paterson, and Tilbury)	287
Dugdale, J. S.: A new genus for the New Zealand "Elusive Tortrix" (Lepidoptera : Tortricidae : Tortricinae)	391
Dugdale, J. S.: A revision of New Zealand Schoenotenini and Cnephasiini (Lepidoptera : Tortricidae : Tortricinae)	731
Dumbleton, L. J.: Genitalia, classification and zoogeography of the New Zealand Hepialidae (Lepidoptera)	920
Dumbleton, L. J.: Immature stages of two aquatic Empididae (Dipt.)	565
Dye, D. W.: A comparative study of some aytpical "Xanthomonads"	843
Dye, D. W.: Cultural and biochemical reactions of some additional *Xanthomonas* spp.	913

Ellis, A. J.: Mahon, W. A. J.: Geochemistry of the Ngawha hydrothermal area	440
Enthalpy of a steam/water mixture discharged from a geothermal drillhole, A method for determining the	791
Environmental ionising radiation in Dunedin, New Zealand (by Jamieson, Tripp, and Sanderson)	674
Eruption on Raoul Island, November 1964, Chemistry of the hydrothermal waters of the volcanic	426
Escher, W. L.; Gerson, T. (see Gerson, T.)	528
Evidence of former sea levels near Cape Hallett, Antarctica (by Campbell and Claridge)	776

Factors influencing population levels of *Scolypopa australis* Walker (Hemiptera–Homoptera : Ricaniidae in New Zealand (by Cumber)	336
Fatty acid composiion of the lipids of *Pinus radiata* and *Pinus nigra,* A preliminary investigation of the	801
Fellows, S. K.; Hughes, J. T.; Slade, D. A. (see Hughs, J. T.)	225
Fieldes, M.: The nature of allophane in soils. Part 1. Significance of structural randomness	599
Fieldes, M.; Furkert, R. J.: The nature of allophane in soils. Part 2. Differences in compositon	608
Fieldes, M.; Perrott, K. W.: The nature of allophane in soils. Part 3. Rapid field and laboratory test for allophane	623

	Page
Fieldes, M.; Weatherhead, A. V.: Mineralogy of sand fractions of New Zealand soils	1006
Fish, G. R.: An artificially maintained trout population in a Northland lake	200
Flux, D.; Moustafa, Esam (see Mousafa, Esam)	523
Ford-Robertson, J. de C.; Bull, P. C.: Some parasites of the Kiore *Rattus exulans*, on Little Barrier and Hen Islands, New Zealand	221
Foster, P. K.; Hughes, I. R.; MacKenzie, K. J. D.: X-ray diffraction and thermal expansion properties of cristobalite-containing ceramics	249
Foundry moulding properties of sand from the Wellington district, A note on	211
Fractionation of Leghaemoglobin and peroxidases from root nodules by gel filtration (by Moustafa and Flux)	523
Furkert, R. J.; Fieldes, M. (see Fieldes, M.)	608
Genitalia, classification and zoogeography of the New Zealand Hepialidae (Lepidoptera) (by Dumbleton)	920
Geochemistry of the Ngawha hydrothermal area (by Ellis and Mahon)	440
Gerson, T.; Escher, W. L.: The effect of monoglycerides on the spreadability of butter	528
Given, B. B.: The genus *Costelytra* Given (Melolonthinae : Coleoptera) including descriptions of four new species	373
Greenwood, J. G.: Some larval stages of *Pagurus novae-zealandiae* (Dana), 1852 (Decapoda, Anomura)	545
Growth in the freshwater crayfish, *Paranephrops planifrons* White (by Hopkins)	50
Hair from New Zealand boys as determined by neutron activation analysis, Microelement content of	559
Halloysite on drying, mineral changes of	103
Hand-reared mallards in Southland—An analysis of band recoveries (by Reid)	630
Hansen, R. P.: A preliminary investigation of the fatty acid composition of the lipids of *Pinus radiata* and *Pinus nigra*	801
Harrison, W. J.; Tilbury, A. L.; Walker, I. K.; Buoyancy effects in tins of hot wool	57
Hartman, L.; Keeley, G. M.; Peddie, Barbara A. (see Keeley, G. M.)	806
Healy, W. B.; Bate, L. C.; Ludwig, J. G. (see Bate, L. C.)	559
Hedley, R. H.: Cytological notes on *Syringammina tasmanensis* (Appendix *in* A giant Foraminifer: A new species of *Syringammina* from the New Zealand Region)	123
Hepialidae (Lepidoptera), Genitalia, classification and zoogeography of the New Zealand	920
Hodges, R.; White, E. P.: Detection and isolation of tutin and hyenanchin in toxic honey	233
Hopkins, C. L.; Brewerton, H. V.; McGrath, H. J. W.: The effect on a stream fauna of an aerial application of DDT prills to pasture land	236
Hopkins, C. L.: Growth in the freshwater crayfish, *Paranephrops planifrons* White	50
Houtman, Th. J.: A note on the hydrological regime in Foveaux Strait	472
Houtman, Th. J.: Repeat measurements of temperature, salinity, and Carbon–14 depletion at an ocean station	457
Hughes, I. R.; Foster, P. K.; MacKenzie, K. J. D. (see Foster, P. K.)	249
Hughes, I. R.: Mineral changes of halloysite on drying	103
Hughes, J. T.; Fellows, S. K.; Slade, D. A.: Mevinphos residues in strawberries	225
Hydrological regime in Foveaux Strait, A note on the	472
Hydrology in the Hauraki Gulf, 1964–1965, Diatoms, dinoflagellates and	569
Hydrothermal activity on the element content of soils and plants, The influence of	982
Index to Volume 9	1022
Immature stages of two aquatic Empididae (Dipt.) (by Dumbleton)	565

	Page
Induration of titanomagnetite pellets (by Shannon and Kennedy)	303
Insolation in New Zealand, Mean daily	992
Intracerebral injection method for detecting tutin and hyenanchin in toxic honey, An improved	433
Ionising radiation in Dunedin, New Zealand, Environmental	674
Jamieson, H. D.; Tripp, C. G. H.; Sanderson, F. L.: Environmental ionising radiation in Dunedin, New Zealand	674
Joint for attaching core cutters to corer barrels, A simple	77
Keeley, G. M.; Peddie, Barbara A.; Hartman, L.: Determination of lipo-peroxides in meat meals and poultry feeds	806
Kennedy, B. F.; Shannon, W. T. (see Shannon, W. T.)	303
Kibblewhite, A. C.: The acoustic detection and location of an underwater volcano	178
Kuschel, G.: A Cassonine genus with bark-beetle habits, with remarks on relationships and biography (Coleoptera Curculionidae)	3
Larval stages of *Pagurus novae-zelandiae* (Dana) 1852 (Decopoda, Anomura), Some	545
Ledermuelleria, Oudms. (Prostigmata, Stigmaeidae) from New Zealand, with records of one species from some Southern Pacific islands, Mites of the genus	84
Leghaemoglobin and peroxidases from root nodules by gel filtration, Fractionation of	523
Letham, D. S.; Shannon, J. S. (see Shannon, J. S.)	833
Lewis, K. B.; A giant Foraminifer: A new species of *Syringammina* from the New Zealand region	114
Lipo-peroxides in meat meals and poultry feeds, Determination of	806
Lowe, A. D.: Some records of aphids including six species not previously recorded from New Zealand	357
Ludwig, T. G.; Bate, L. C.; Healy, W. B. (see Bate, L. C.)	559
Lyon, G. L.; Brooks, R. R. (see Brooks, R. R.)	706
McGrath, H. J. W.; Brewerton, H. V.; Hopkins, C. L. (see Hopkins, C. L.)	236
McGrath, H. J. W.; Brewerton, H. V.; Perrott, D. C. F. (see Perrott, D. C. F.)	145
McIntosh, I. G.; Bell, J.; Poole, W. S. H.; Staples, E. L. J.: The toxicity of sodium monofluoroacetate (1080) to the North Island Weka (*Gallirallus australis greyi*)	125
MacKenzie, K J. D.; Foster, P. K.; Hughes, I. R. (see Foster, P. K.)	249
Mahon, W. A. J.: A method for determining the enthalpy of a steam/water mixture discharged from a geothermal drillhole	791
Mahon, W. A. J.: Silica in hot water discharged from drillholes at Wairakei, New Zealand	135
Mahon, W. A. J.; Ellis, A. J. (see Ellis, A. J.)	440
Mallards in Southland, Hand reared in—An analysis of band recoveries	630
Marshall, D. C: Preliminary theory of the Wairakei geothermal field	651
Marshall, T.; Nicholson, D. S.; Shannon, W. T. (see Nicholson, D. S.)	586
Mean daily insolation in New Zealand (by de Lisle)	992
Measurements of temperature, salinity, and Carbon–14 depletion at an ocean station, Repeat	457
Meredith, Peter: Dependence of water absorption of wheat flour on protein content and degree of starch granule damage	324
Mevinphos residues in strawberries (by Hughes, Fellows, and Slade)	225

Page

Microelement content of hair from New Zealand boys as determined by neutron activation analysis (by Bate, Healy, and Ludwig) 559
Mineral changes of halloysite on drying (by Hughes) 103
Mineralogy of sand fractions of New Zealand soils (by Fieldes and Weatherhead) 1006
Minerals and fertilisers, Selenium content of some 409
Mites (Acari) from a New Zealand pasture, Two new oribatid 416
Mites of the genus *Ledermuelleria* Oudms. (Prostigmata, Stigmaeidae) from New Zealand, with records of one species from Southern Pacific islands (by Wood) 84
Mollusc beds in Ohiwa Harbour, Bay of Plenty, Observations on past and present 30
Molybdenum in New Zealand, Biogeochemical prospecting for 706
Mössbauer effect studies. Part 1. The Mössbauer spectrometer (by Whitfield and Vickerman) 782
Moustafa, Esam; Flux, D.: Fractionation of leghaemoglobin and peroxidases from root nodules by gel filtration 523

(Nematoda : Criconematidae), A new species from New Zealand, *Paratylenchus halophilus* 281
Nematode parasites of the black roach, *Blatticola tuapakae* and *Protellina gurri* n. spp. 538
New Zealand "Elusive Tortrix" (Lepidoptera : Tortricidae : Tortricinae), A new genus for the 391
New Zealand stoneflies, Studies on 2. The ecology and life history of *Zealandoperla maculata* (Hare) and *Aucklandobius trivacuatus* (Tillyard)—(Gripopterygidae) 312
Ngawha hydrothermal area, Geochemistry of the 440
Nicholson, D. S.; Shannon, W. T.; Marshall, T.: Separation of ilmenite, zircon, and monazite from Westport beach sands 586
Northey, R. D.: Correlation of engineering and pedological soil classification in New Zealand 809

Observations on past and present distribution of mollusc beds in Ohiwa Harbour, Bay of Plenty (by Paul) 30
Observations on the morphology and reproduction of *Aspidisca cicada* Müller (by Brown) 65
O'Brien, D. J.; Scahill, T. E. J.; van Pelt, W.: The tying of compressed wool bales in New Zealand 855
Ordish, R. G.; Ramsay, G. W. (see Ramsay, G. W.) 719
Oviposition and egg incubation in three species of small green chafer (*Pyronata* Bois) (by Brown) 261

Palmer, D. G.: Diffusion of regain in bulk wool. Part 2. Analysis of regain in scoured wool by diffusion 166
Parasites of the Kiore *Rattus exulans,* on Little Barrier and Hen Islands, New Zealand, Some 221
Paratylenchus halophilus (Nematoda : Criconematidae), A new species from New Zealand (by Wouts) 281
Paterson, C. F.; Tilbury, A. L.; Walker, I. K. (see Walker, I. K.) 287
Paul, L. J.: Observations on past and present distribution of mollusc beds in Ohiwa Harbour, Bay of Plenty 30
Peddie, Barbara A,; Hartman, L.; Keeley, G. M. (see Keeley, G. M.) 806

Page

Perrott, D. C. F.; Brewerton, H. V.; McGrath, H. J. W.: Resistance to DDT in the Scarabaeid *Costelytra zealandica* (White) 145
Perrott, K. W.; Fieldes, M. (see Fieldes, M.) 623
Poole, W. S. H.; Bell, J.; McIntosh, I. G.; Staples, E. L. J. (see McIntosh, I. G.) 125
Preliminary theory of the Wairakei geothermal field (by Marshall) 651
(*Pyronota* Bois), Oviposition and egg incubation in three species of small green chafer 261

Raised beaches at Inexpressible Island, Antarctica, The 889
Ramsay, G. W.: Two new oribatid miles (Acari) from a New Zealand pasture 416
Ramsay, G. W.: Three new box-mites (Acari : Oribatei : Phthiracaroidea) from The Brothers, Cook Strait, New Zealand 901
Ramsay, G. W.; Ordish, R. G.: The Australian Blue Moon Butterfly *Hypolimnas bolina nerina* (F.) in 719
Red phosphorus as a fertiliser, The use of. Part 6. White clover yield and phosphorus uptake from red phosphorus and monocalcium phosphate over a three year period 882
Regain in bulk wool, Diffusion of
Part 2. Analysis of regain in scoured wool by diffusion 166
Part 3. Regain changes in cylinders open at one end 287
Regulators of cell division in plant tissues IV. The mass spectra of cytokinins and other 6-aminopurines (by Shannon and Letham) 833
Reid, Brian: Hand reared mallards in Southland—An analysis of band recoveries 630
Repeat measurements of temperature, salinity, and Carbon–14 depletion at an ocean station (by Houtman) 457
Resistance to DDT in the Scarabaeid *Costelytra zealandica* (White) (by Perrot, Brewerton, and McGrath) 145

Sanderson, F. L.; Jamieson, H. D.; Tripp, C. G. H. (see Jamieson, H. D.) 674
Sarbutt, J.; Weissberg, B. G. (see Weissberg, B. G.) 426
Scahill, T. E. J.; O'Brien, D. J.; van Pelt, W. (see O'Brien, D. J.) 855
Scahill, T. E. J.; Shannon, W. T.: A note on foundry moulding properties of sand from the Wellington district 211
Schoenotenini and Cnephasiini (Lepidoptera : Tortricidae : Tortricinae), A revision of New Zealand 731
Scolypopa australis Walker (Hemiptera–Homoptera : Ricaniidae) in New Zealand, Factors influencing population levels of 336
Sea levels near Cape Hallett, Antarctica, Evidence of former 776
Selenium content of some minerals and fertilisers (by Wells) 409
Separation of ilmenite, zircon, and monazite from Westport beach sands (by Nicholson, Shannon, and Marshall) 586
Shackleton, D. A.: A bacterial leaf spot of cauliflower in New Zealand caused by *Pseudomonas maculicola* (McCulloch, 1911) Stevens, 1913 872
Shackleton, D. A.: A study of the relationship between *Xanthomonas vesicatoria* (Doidge, 1920) Dowson, 1939, and *X. campestris* (Pammel, 1895) Dowson, 1939 507
Shannon, J. S.; Letham, D. S.: Regulators of cell division in plant tissues. IV. The mass spectra of cytokinins and other 6-aminopurines 833
Shannon, W. T.: Kennedy, B. F.: Induration of titanomagnetite pellets 303
Shannon, W. T.; Marshall, T.; Nicholson, D. S. (see Nicholson, D. S.) 586
Shannon, W. T.; Scahill, T. E. J. (see Scahill, T. E. J.) 211
Silica in hot water discharged from drillholes at Wairakei, New Zealand (by Mahon) 135
Slade, D. A.; Fellows, S. K.; Hughes, J. T. (see Hughes, J. T.) 225
Sodium monofluoroacetate (1080) to the North Island Weka (*Gallirallus australis greyi*), The toxicity of 125

Page

Soil classification in New Zealand, Correlation of engineering and pedological 809
Soils derived from basic and ultrabasic rocks in New Zealand, A mineralogical study of 484
Soils from a penguin rookery, Inexpressible Island, Antarctica, A sequence of 361
Soils, Mineralogy of sand fractions of New Zealand 1006
Some crinoids from New Zealand waters (by Clark) 684
Some larval stages of *Pagurus novae-zealandiae* (Dana), 1852 (Decapoda, Anomura) (by Greenwood) 545
Some parasites of the Kiore, *Rattus exulans*, on Little Barrier and Hen Islands, New Zealand (by Ford-Robertson and Bull) 221
Some records of aphids including six species not previously recorded from New Zealand (by Lowe) 357
Spreadability of butter, The effect of monoglycerides on the 528
Staples, E. L. J.; Bell, J.; McIntosh, I. G.; Poole, W. S. H. (see McIntosh, I. G.) 125
Strawberries, Mevinphos residues in 225
Studies on New Zealand stoneflies 2. The ecology and life history of *Zealandoperla maculata* (Hare) and *Aucklandobius trivacuatus* (Tillyard) – (Gripopterygidae) (by Winterbourn) 312
Swindale, L. D.: A mineralogical study of soils derived from basic and ultrabasic rocks in New Zealand 484
Syringammina from the New Zealand region, A giant foraminifera: A new species of 114

Tetleyus (Thelastomatidae), and a description of *Tetleyus lissotetos* n. sp., A key to nematodes of the genus 161
The Australian Blue Moon butterfly *Hypolimnas bolina nerina* (F.) in New Zealand (by Ramsay and Ordish) 719
The acoustic detection and location of an underwater volcano (by Kibblewhite) 178
The dispersal of *Cephalobellus costelytrae*, A nematode parasitic in the grass grub *Costelytra zealandica* (by Dale) 534
The effect of monoglycerides on the spreadability of butter (by Gerson and Escher) 528
The effect on a stream fauna of an aerial application of DDT prills to pasture land (by Hopkins, Brewerton, and McGrath) 236
The genus *Costelytra* Given (Melolonthinae : Coleoptera) including descriptions of four new species (by Given) 373
The identity of New Zealand populations of *Tylenchorhynchus capitatus*, Allen, 1955, with a description of an intersex (by Wouts) 878
The influence of hydrothermal activity on the element content of soils and plants (by Wells and Whitton) 982
The nature of allophane in soils
Part 1. Significance of structural randomness (by Fieldes) 599
Part 2. Differences in composition (by Fieldes and Furkert) 608
Part 3. Rapid field and laboratory tests for allophane (by Fieldes and Perrott) 623
The raised beaches at Inexpressible Island, Antarctica (by Claridge and Campbell) 889
The toxicity of sodium monofluoroacetate (1080) to the North Island Weka (*Gallinallus australis greyi*) (by McIntosh, Bell, Poole, and Staples) 125
The tying of compressed wool bales in New Zealand (by O'Brien, Scahill, and van Pelt) 855
The use of red phosphorus as a fertiliser. Part 6. White clover yield and phosphorus uptake from red phosphorus and monocalcium phosphate over a three year period (by Widdowson) 882
Three new box-mites (Acari : Oribatei : Phthiracaroidea) from The Brothers, Cook Strait, New Zealand (by Ramsay) 901
Three new species of *Asca* v. Heyden (Acari : Blattisocidae) from New Zealand, and records of *Asca* from some southern Pacific islands (by Wood) 41

	Page
Tilbury, A. L.; Harrison, W. J.; Walker, I. K. (see Harrison, W. J.)	57
Tilbury, A. L.; Paterson, C. F.; Walker, I. K. (see Walker, I. K.)	287
Titanomagnetite pellets, Induration of	303
Toxic honey, Detection and isolation of tutin and hyenanchin in	233
Tripp, C. G. H.: Jamieson, H. D.; Sanderson, F. L. (see Jamieson, H. D.)	674
Trout population in a Northland lake, An artificially maintained	200
Two new oribatid mites (Acari) from a New Zealand pasture (by Ramsay)	416
Tylenchorlynchus capitatus, Allen, 1955 with a description of an intersex, The identity of New Zealand population of	878
Underwater volcano, The acoustic detection and location of an	178
Valentine, E. W.: A new species of *Centrodora* (Hymenoptera : Aphelinidae) parasitic upon the eggs of *Scolypopa australis* Walker (Hemiptera : Ricaniidae)	331
Van Pelt, W.; O'Brien, D. J.; Scahill, T. E. J. (see O'Brien, D. J.)	855
Vickerman, J. R.; Whitfield, H. J. (see Whitfield, H. J.)	782
Wairakei geothermal field, Preliminary theory of the	651
Wairakei, New Zealand, Silica in hot water discharged from drillholes at	135
Walker, I. K.; Harrison, W. J.; Tilbury, A. L. (see Harrison, W. J.)	57
Walker, I. K.; Paterson, C. F.; Tilbury, A. L.: Diffusion of regain in bulk wool. Part 3. Regain changes in cylinders open at one end	287
Water absorption of wheat flour on protein content and degree of starch granule damage, Dependence of	324
Weatherhead, A. V.; Fieldes, M. (see Fieldes, M.)	1006
Weissberg, B. G.; Sarbutt, J.: Chemistry of the hydrothermal waters of the volcanic eruption on Raoul Island, November 1964	426
Wells, N.: Selenium content of some minerals and fertilisers	409
Wells, N.; Whitton, J. S.: The influence of hydrothermal activity on the element content of soils and plants	982
Westport beach sands, separation of ilmenite, zircon, nad monazite from	586
Widdowson, J. P.: The use of red phosphorus as a fertiilser. Part 6. White clover yield and phosphorus uptake from red phosphorus and monocalcium phospate over a three year period	882
Winterbourn, M. J.: Studies on New Zealand stoneflies—2. The ecology and life history of *Zealandoperla maculata* (Hare) and *Aucklandobius trivacuatus* (Tillyard)—(Gripopterygidae)	312
White, E. P.; Hodges, R. (see Hodges, R.)	233
Whitfield, H. J.; Vickerman, J. R.: Mössbauer effect studies. Part 1. The Mössbauer spectrometer	782
Whitton, J. S.; Wells, N. (see Wells, N.)	982
Willis, R. P.: A simple joint for attaching core cutters to corer barrels	77
Wood, T. G.: Mites of the genus *Ledermuelleria* Oudms. (Prostigmata, Stigmaeidae) from New Zealand, with records of one species from some Southern Pacific islands	84
Wood, T. G.: Three new species of *Asca* v. Heyden (Acari : Blattisocidae) from New Zealand, and records of *Asca* from some Southern Pacific islands	41
Wool bales in New Zealand, The tying of compressed	855
Wool, Buoyancy effects in tins of hot	57
Wouts, W. M.: *Paratylenchus halophilus* (Nematoda : Criconematidae), A new species from New Zealand	281
Wouts, W. M.: The identity of New Zealand population of *Tylenchorchynchus capitatus*, Allen, 1955 with a description of an intersex	878

	Page
"Xanthomonads", A comparative study of some atypical	843
Xanthomonas spp., Cultural and biochemical reactions of some additional	913
Xanthomonas vesicatoria (Doidge, 1920) Dowson, 1939, and *X. campestris* (Pammel, 1895) Dowson, 1939, A study of the relationship between	507
X-ray diffraction and thermal expansion properties of cristobalite-containing ceramics (by Foster, Hughes, and MacKenzie)	249

© *Crown Copyright*

R. E. OWEN, GOVERNMENT PRINTER, WELLINGTON, NEW ZEALAND—1966
1,100/9/66—25354 P